INDEX TO VOLUME V.

[NOTE.—In this index the titles of principal papers and the headings of departments, as *Discussion*, are in italics.]

Act to create a Department of Mines, in Canada, 644
Adams and Barlow, on the occurrence of scapolite, 148
Adams, F. S., *The iron formation of the Cuyuna Range*, 729
Adirondack graphite deposits, Origin of certain (Bastin), 134
Agriculture, permanent, 791
Alaskite, 303
Alexo nickel deposit, The (Coleman), 373
Algonkian basin, An, in Hudson Bay—a comparison with the Lake Superior basin (Leith), 227
Algonkian rocks, Hudson Bay, 232
Allan, J. A., *Recent literature on economic geology*, 81
Allegheny formation, 378
Allen, E. T., discussion by, 390; on marcasite, 211
Allen, R. C., review of paper by, 394, 499
Altenberg ore deposits, 170
Altenberg-Zinnwald tin district, 167
Alteration, at Goldfield, 446, 462; of ore deposits, 124; deepseated, 129; of dacite, 464; of Keweenawan rock, 474; fluorspar deposits, 385
Alteration, Superficial, of the Butte veins (Sales), 15
Altland mine, 608
Alunitization, 463
Ammonia, production of, 47
Amygdaloids, The copper-bearing, of the White River region, Alaska (Knopf), 247
Andesite, 323
Andesite tuff, 668
Andrews, E. B., on anticlinal theory of oil accumulation, 503
Anhydrite, 522, 524
Anhydrite as a gangue mineral (Lindgren), 522
Animikie iron formation, 237
Anthon, E., on precipitation of sulphides, 5
Anticlinal theory of oil and gas accumulation, history of, 503
Antietam sandstone, 612
Antimony, 5
Apatite, 137, 710, 720
Apex law, 768
Aplite, 543
Aragonite, 486
Archean protaxis of Canada, 230
Arkose deposition, 238
Arnold and Anderson, on California oil fields, 512
Arnold and Johnson, on oil fields of California, 516
Arrested anticlines, 514
Arsenic, 6
Arsenopyrite, 159, 721, 722
Aschan, O., on organic acids, 535
Ashley, G. H., on clay seams, 179
Aspects, Some commercial, of peat as a source of chemical products (Davis), 36
Asphaltic deposits, oil and gas in, 517
Assay, 24
Assay Office, Dominion of Canada, 648
Augite, 544, 704, 711
Austin, L. S., review of book by, 79
Azurite, 224

Bäckstom, on pneumatolytic-sedimentary origin of iron ores, 716; on the origin of nodules, 715
Bain, H. F., discussion by, 785; on clay seams, 179; on silicofluorides, 384
Ballarat ore deposits, 120
Bard, D. C., discussion by, 59
Barite, 23
Barrell, J., on silication of limestones, 188
Barrois, C., on geology of Pyrenees, 361
Barytes, 724
Basin structure, in Ozark region, 685
Basins of the Moose, Missinaibi and Abitibi Rivers, 226
Bastin, E. S., *Origin of certain Adirondack graphite deposits*, 134; on

INDEX TO VOLUME V.

[NOTE.—In this index the titles of principal papers and the headings of departments, as *Discussion*, are in italics.]

Act to create a Department of Mines, in Canada, 644
Adams and Barlow, on the occurrence of scapolite, 148
Adams, F. S., *The iron formation of the Cuyuna Range*, 729
Adirondack graphite deposits, Origin of certain (Bastin), 134
Agriculture, permanent, 791
Alaskite, 303
Alexo nickel deposit, The (Coleman), 373
Algonkian basin, An, in Hudson Bay—a comparison with the Lake Superior basin (Leith), 227
Algonkian rocks, Hudson Bay, 232
Allan, J. A., *Recent literature on economic geology*, 81
Allegheny formation, 378
Allen, E. T., discussion by, 390; on marcasite, 211
Allen, R. C., review of paper by, 394, 499
Altenberg ore deposits, 170
Altenberg-Zinnwald tin district, 167
Alteration, at Goldfield, 446, 462; of ore deposits, 124; deepseated, 129; of dacite, 464; of Keweenawan rock, 474; fluorspar deposits, 385
Alteration, Superficial, of the Butte veins (Sales), 15
Altland mine, 608
Alunitization, 463
Ammonia, production of, 47
Amygdaloids, The copper-bearing, of the White River region, Alaska (Knopf), 247
Andesite, 323
Andesite tuff, 668
Andrews, E. B., on anticlinal theory of oil accumulation, 503
Anhydrite, 522, 524
Anhydrite as a gangue mineral (Lindgren), 522
Animikie iron formation, 237
Anthon, E., on precipitation of sulphides, 5
Anticlinal theory of oil and gas accumulation, history of, 503
Antietam sandstone, 612
Antimony, 5
Apatite, 137, 710, 720
Apex law, 768
Aplite, 543
Aragonite, 486
Archean protaxis of Canada, 230
Arkose deposition, 238
Arnold and Anderson, on California oil fields, 512
Arnold and Johnson, on oil fields of California, 516
Arrested anticlines, 514
Arsenic, 6
Arsenopyrite, 159, 721, 722
Aschan, O., on organic acids, 535
Ashley, G. H., on clay seams, 179
Aspects, Some commercial, of peat as a source of chemical products (Davis), 36
Asphaltic deposits, oil and gas in, 517
Assay, 24
Assay Office, Dominion of Canada, 648
Augite, 544, 704, 711
Austin, L. S., review of book by, 79
Azurite, 224

Bäckstom, on pneumatolytic-sedimentary origin of iron ores, 716; on the origin of nodules, 715
Bain, H. F., discussion by, 785; on clay seams, 179; on silicofluorides, 384
Ballarat ore deposits, 120
Bard, D. C., discussion by, 59
Barite, 23
Barrell, J., on silication of limestones, 188
Barrois, C., on geology of Pyrenees, 361
Barytes, 724
Basin structure, in Ozark region, 685
Basins of the Moose, Missinaibi and Abitibi Rivers, 226
Bastin, E. S., *Origin of certain Adirondack graphite deposits*, 134; on

chemical composition as a criterion in identifying metamorphic sediments, 134; on pyrrhotite, 375; review by, 78
Bauer, M., on anhydrite, 525
Bayley, W. S., reviews by, 69, 395, 570
Beartooth fault, 555, 652
Beck-Weed, on copper, 221
Bell, J. M., Moose River basin, 229; on iron carbonate, 231; on pre-Cambrian sediments, 232
Bell, R., east coast of Hudson Bay, 229; on Moose River basin, 227; on Nastapoka group, 244
Bell mine, Dillsburg, Pa., 609
Bendigo ore deposits, 109
Bergeat, A., on ore deposits, 430
Bibliography, Adirondack graphite deposits, 155; Cananea copper deposits, 356; Diamond fields of South Africa, 64; Huelva ore deposits, 435; James Bay region, 227
Birdie tungsten mine, 163
Birdville formation, 378
Bismuth, 5, 170
Blake, W. P., on ore deposits, 120
Boehmer, M., on Leadville ores, 410
Bog iron deposits in the district of Thunder Bay, Ontario, The occurrence and origin of some (Moore), 528
Bonanzas, 98
Bornite, 489, 682
Boutwell, J. M., on ore deposits, 120
Bowen, N. L., on calcite, 547
Brande, on distillation of peat, 37
Breccia, 382
Bremen mine ore shoots, 117
Bridger Range, structure of, 657
British ores, The paragenesis of (Finlayson), 719
Brooks, A. H., on copper in Alaska, 248
Buckley, E. R., review of report by, 71; discussion by, 192
Buehler, H. A., and Gottschalk, V. H., *Oxidation of sulphides*, 28; on oxidation, 480
Bunches, 98
Burchard, E. F., and Butts, C., review of report by, 197
Butte City mines, 109
Butte copper veins, outcrops of, 15
Butte veins, Superficial alterations of (Sales), 15
By-products from peat, 43

Cadmium, 5
Cactus mine, 522
Calcareous sandstone, 748
Calcite, 382, 546, 621, 723
Calcite gangues, influence on enrichment, 59
Calkins, F. C., on the occurrence of scapolite, 148; rock determined by, 744
Calvert, W. R., fossils collected by, 761; *Stratigraphic relations of the Livingston formation of Montana*, 551, 652, 741
Cambrian, Goldfield, Nev., 303
Cameron and Robinson, on ferrous carbonate, 529
Campbell, M. R., on joints in coal, 185
Campbell, W., review by, 79
Canada, The Department of Mines of, its organization and work (Wilson), 640
Canadian Mining Institute, 642
Cananea granite, 319
Cananea mining district of Sonora, Mexico (Emmons), 312
Cananea-Duluth mine, 348
Capote Basin ores, 341
Capote quartzite, 319
Carboniferous, Huelva, Spain, 360; White River region, Alaska, 247
Cardium, 656
Casin, E. M. F., on ore deposits, 120
Cassiterite, 173, 720
Causes of ore shoots, Some (Penrose), 97
Ceratops beds, 746
Chalcocite, 209, 210, 224, 489, 681, 726
Chalcopyrite, 9, 13, 489, 525, 722, 723
Chalmers, R., on concretionary iron ore, 530
Chamberlin, T. C., on ore deposits, 120; discussion by, 782
Chemical analyses—andesite, 309; anhydrite, 524; augite, 546; augite-scapolite-graphite rock, 147; dacite, 309; dacite vitrophyre, 309; dolerite, 309; graphitic schist, 139; iron concretion, 532; iron ore, 546; latite, 309; limonite, 530; porphyry, fresh and altered, 407; tufa, 24; water, 533; from mines of Joplin district, 34; from Ojo Caliente, 26
Chemical criteria of enrichment, 215
Chemicals, made from peat, 37
Chester stage, 378
Chimneys, 98
China clays, 680
Chispa andesite, 304
Chlorite, 621

Chrome iron ore deposits, Quebec, 278
Chromite deposits, 279
Cirkel, F., review of papers by, 68, 278
Claggett formation, 757
Clapp, F. G., *A proposed classification of petroleum and natural gas fields based on structure*, 503
Clarke, F. W., on native copper, 472
Classification, of oil and gas accumulations, 510
Classification of petroleum and natural gas fields based on structure, A proposed (Clapp), 503
Clay seams or so-called horsebacks near Springfield, Illinois (Savage), 178
Cleavage, 741; Huelva district, Spain, 370
Clinton sand, 506
Coal fields of Holland, 391
Coal measures of Livingston section, age of, 758
Coal strata, Springfield, Ill., 181; section (figure), 182
Cobalt, 5
Cobaltite, 723
Cœur d'Alene mines, 109
Coke, from peat, 38, 41
Coleman, A. P., *The Alexo nickel deposit*, 373
Collins, J. H., on origin of Huelva ores, 430; on rocks of Spain, 363
Collins, W. H., *The quartz diabases of Nipissing district, Ontario*, 538
Columbia formation, 377
Commercial aspects of peat as a source of chemical products, Some (Davis), 36
Compatibility, principle of, 481
Comstock lode, 109; section of, 126
Concretionary iron ore, 530
Concretions, 224, 529
Conglomerate, 735
Conjurer's House, 231
Connor, M. F., analyses, augite, 546; iron ore, 546
Conservation of mineral resources, 765
Contact deposits of ore, 122
Contact-metamorphic deposits, Cananea, 335
Contact metamorphism, of graphite, 143
Continental fault, 15
Controller Bay coal claims, 765
Convergence map, 506
Convergence of formations, 506
Copper, 5; in amygdaloids, 252; in Keweenawan lava, 474; of Cananea district, 312; of Huelva district, Spain, 412; of White River region, Alaska, 249; replacing fossil wood, 223
Copper-bearing amygdaloids of the White River region, Alaska, The (Knopf), 247
Copper deposits, Keweenawan (Grout), 471
Copper in the "Red Beds" of Oklahoma (Tarr), 221
Copper ores, experiments on, 30; oxidation of, 31; at Butte, 682
Copper sulphide, precipitation of, 2
Copper veins, in Great Britain, 720
Corbicula, 656
Cornu, F., on copper in the Faroe Islands, 254
Cornwall, England, ore deposits, 123
Correlation, Nastapoka and Richmond groups, 243
Country rock, influence on ore deposits, 453
Courtney, C. F., on Esperanza lode, 409
Covellite, 4, 29, 209
Cox mine, 611
Crane, W. R., on clay seams, 178
Crazy Mountains district, 661
Creeks in marshes, 624
Cretaceous conglomerates, 735
Cretaceous succession, in Musselshell Valley, 663
Criteria of downward sulphide enrichment (Ransome)), 205; discussion, 387, 477, 558, 678
Cross, W., on Denver Basin, 554
Crown Point graphite mine, 143
Cuitaca granodiorite, 328
Cunningham coal claims, 765
Cuyuna Range, The iron formation of (Adams), 729
Cypress sandstone, 378

Dacite, 305; alteration of, 464; diagram of, 464
Dana, E. S., on color in quartz, 161
Datolite, 471
Daubree, A., on the action of superheated water, 256
Davis, C. A., *Some commercial aspects of peat as a source of chemical products*, 36; *Salt marsh formation near Boston and its geological significance*, 623
Davis, S. H., on volcanic mud, 241
Deformation, by flow and fracture,

739; by pressure, 742; of upper Huronian series, 736
De Launay, L., on Huelva ore deposits, 406, 430; on ore deposits, 462, 466; on rocks of Spain, 363; on pneumatolytic-sedimentary origin of iron ores, 716
Delessite, 473
Delgado, J. F. N., on geology of Portugal, 361
Department of Mines of Canada, its organization and its work (Wilson), 640
Deposition, of Huelva ores, 414
Deposits, The Erzgebirge tin (Singewald), 166
Deposits, Origin of certain Adirondack graphites (Bastin), 134
Depth, of fluorspar deposits, western Kentucky, 383; of Goldfield ores, 460; of lodes of Huelva, Spain, 405
Derrick mine, 607
Descriptive method, of geologic study, 675
Devonian, Canada, 231; Huelva, Spain, 361
Diabase, 322, 539, 602, 736; classified, 473
Diabase magma, differentiation of, 545
Diabase, The quartz, of Nipissing district, Ontario (Collins), 538
Diagrams, alteration of dacite, 464; assay values of Sotiel ore shoot, 426; differentiation of diabase magma, 545; gas pool coincident with structural terrace, 515; graphite vein, 149; ionization of silver-copper, 7; ore shoot, at Bassick mine, Colo., 105; at Moanataeri mine, 111; precipitation of sulphides, 3, 4, 10; stereogram showing ore shoot, 103; syenite-porphyry section, 706
Differential pressure in ore deposition, 564
Dikes, Dillsburg district, Pa., 613; Erzgebirge, 168; Huelva, Spain, 368; Nipissing district, 538; western Kentucky, 379; Lapland, 707
Dillsburg, York County, Pennsylvania, Structure and origin of the magnetite deposits near (Harder), 599
Discussion—
Absence of secondary copper-sulphide enrichment in calcite gangues (Bard), 59
Bibliography of diamond fields of South Africa (Thomson), 64
Controlling factors of ore localization in the Ozark region (Keyes), 683
Criteria of downward sulphide enrichment (Allen), 387; (Louis), 390; (Emmons), 477; (Wells), 479; (Foote), 484; (Winchell), 488; (Keyes), 558; (Gregory), 678; (Sales), 681
Disseminated lead deposits of Missouri (Buckley), 192; (Ransome), 491
Marking oil maps (Johnson), 273
On the development of the anticlinal theory (Höfer), 492
Origin of petroleum (Hoefer), 564; (Zuber), 194
Special problems and their study in economic geology (Lindgren), 772, (Jaggar), 776, (Spilsbury), 780, (Stevenson), 781, (Chamberlin), 782, (Bain), 783
Theories of oil and gas accumulation (Johnson), 63
Vulcanism and differential pressure in ore deposition (Hixon), 564
Dissociation pressures of cupric sulphide, 485
Distichlis spicata, 634
Distillation of peat, 37
Dixon mine, graphite, 136
Dolcoath mine, England, 123
Dome structure, 516
Dominion Government Assay Office, 648
Douglass, E., on Fish Creek beds, 662
Downward sulphide enrichment, Criteria of (Ransome), 205
Drag folding, 737
Dynamic metamorphism of graphite, 135

Eagle sandstone, 660, 758
Economic geology, Recent literature on (Loughlin et al.), 81, 283, 575
Editorial—
Conservation of mineral resources (Kemp), 765
Special problems and their study in economic geology (Irving), 670

Eel grass, 625
Eibenstock granite massive, 265
Eldridge, G. H., on California oil fields, 512; on Denver Basin, 554
Elenita syenite porphyry, 324
Elisa mine, 337
Elisa quartz-monzonite-porphyry, 329
Ells, R. W., review of paper by, 67
El Torre syenite, 324
Emmons, S. F., *Cananea mining district of Sonora, Mexico*, 312; on the Cactus copper mine, 522; on chalcocite, 210; on ore shoot in Custer County, Colo., 104; on secondary enrichment of ore deposits, 128
Emmons, W. H., on minerals of ore deposits, 209
Enargite, 29, 488, 681
Enrichment, copper sulphide, 59; of ore deposits, 128
Enrichment, downward sulphide, Criteria of (Ransome), 205
Epidote, 621
Erzgebirge tin deposits (Singewald), 166, 265
Esperanza ore shoot, 346
Espina breccia, 304, 307
Etheridge, E., on Devonian rocks of Spain, 361
Ethyl alcohol from heat, 56
Eureka, Utah, ore deposits (figure), 118
Experiments, on oxidation of sulphides, 29
Explosives, 649

Famatinite, 453
Fault veins, at Butte, 17
Faulting, Cananea district, 331; Goldfield district, 309, 452; Huelva district, Spain, 371; Mt. Roudny district, 259; Ozark region, 683; western Kentucky, 379
Feldspar, 621, 711
Fenneman, N. M., on Florence oil field, 514; on oil fields in Texas, 516
Field work, Canada, 650
Figure of, dike showing magnetite and apatite, 712; drag fold, 739; magnetite dikes, Tuolluvaara, 714; magnetite-syenite-porphyry, 708
Finlayson, A. M., *The pyritic deposits of Huelva, Spain*, 357, 403; *The paragenesis of British ores*, 719
Fircks, W. v., on ore deposits, 122
Fish Creek beds, 662
Fissures, Cananea, 321; clay-filled, 179; Erzgebirge, 166; influence on ore shoots, 107; Mt. Roudny district, Bohemia, 260
Flett, J. S., on mineralization of ores, 720
Flexing, of strata, 684
Florence oil field, 514
Flötze, 173
Fluorite, 23
Fluorspar, 382, 720, 724
Fluorspar, lead and zinc deposits of western Kentucky, The (Fohs.), 377
Fohs, F. J., *The fluorspar, lead and zinc deposits of western Kentucky*, 377
Folding, Huelva district, Spain, 369; Cuyuna Range, 736
Folds, relation of major and minor, 737
Foote, H. W., discussion by, 484
Formation of bog iron, 534
Fort Union formation, 662
Fossil plants, 557, 742, 748, 755
Fossils, from Bridger Range, 659; from Colorado group, 653; from Livingston formation, 665; from Trail Creek, 654; from Spain, 361; from above Eagle sandstone, 742; from Bearpaw shale, 743; from Lance formation, 749; from Summit, Mont., 741
Fraas, E., on Devonian rocks of Spain, 361
Fractional precipitation of sulphides, The (Wells), 1
Fractionation, 483
Fracture system, Cananea, 331
Frank and Caro process, 49
Frazer, P., on iron mines in Pennsylvania, 602
Frazer, P., and Brown, A. P., review of book by, 570
Fredonia limestone, 378
Freeman, J. R., on subsidence, 637
Fusus, 656

Gabbro-diabase, 330
Gágel and Stremme, on salts in solution, 215
Gale, H. S., on oil in the Florence field, 518
Galena, 4, 724; oxidation of, 30
Gangue and ore, relative amount of, 98
Gangue mineral, Anhydrite as a (Lindgren), 522
Garnet, 620, 622
Gas, from peat, 38, 41

Gaseous emanations, influence on ore shoots, 104
Gas-producer using peat, 45; construction of, 47
Geanticlinal folds, 515
Geijer, Per, *Igneous rocks and iron ores of Kiirunavaara, Luossavaara and Tuolluvaara*, 699
Genesis, Erzgebirge tin deposits, 271; fluorspar deposits, 383; Goldfield ores, 465; Huelva ore bodies, 430 (*see also* Origin)
Geographic method, of studying ore deposits, 671
Geologic history, Cananea district, 317; Goldfield district, 303; Huelva district, Spain, 371; Hudson Bay, east coast, 238
Geologic maps—Altenburg-Zinnwald region, 176; Dillsburg iron ore fields, 601; Geyer and Ehrenfriedersdorf region, 266; Goldfield district, Nev., 301; Kiruna district, Lapland, 703; Livingston region, 554; Rio Tinto district, Spain, 337, 422
Geologic section, Dillsburg magnetite area, 601; fluorspar region of Kentucky, 377; Livingston region, 555
Geological reports, valuation of, 672
Geological significance, Salt marsh formation near Boston and its (Davis), 623
Geological succession, Cuyuna Range, 732
Geological Survey of Canada, 640, 645, 646, 649
Geologische Charakterbilder, 793
Geology of, Cuyuna district, Minn., 730; Dillsburg district, Pa., 600; Erzgebirge, 166; Goldfield district, 301; Huelva, Spain, 360; Kiruna district, Lapland, 699; New Brunswick, 67; Nipissing district, 538; Oklahoma, Payne County, 222; Spain, southern, 358; White River region, Alaska, 247
Geology and ore deposits of the Goldfield district, Nevada (Ransome), 301, 438
Geyer tin deposits, 267
Gidley, J. W., fossils identified by, 755
Glacial deposits, Hudson Bay, 232
Glacial drift, Cuyuna Range, 735
Gnade Gottes mine, 174
Gneiss, 23
Gold deposit, The Mt. Roudny (Singewald), 257
Goldfield Consolidated Mines Company, 439
Goldfield district, Nevada, Geology and ore deposits of the (Ransome), 301, 438
Goldfield type of ore deposits, 469
Goldfieldite, 453
Gonzalo y Tarin, J., on origin of Huelva ores, 430; on Silurian rocks of Spain, 360, 361, 363
Gossan, of Huelva ores, 409
Gould, C. N., on geology of Oklahoma, 226; on upper Paleozoic formations, 222
Granite, 20, 144, 168, 259, 362; altered, 15
Granodiorite, 328
Graphite, mode of occurrence at Ticonderoga, 149; production in the U. S., 134
Graphite deposits, Origin of certain Adirondack (Bastin), 134
Graphitic schist, 139; microphotographs of, 150, 151, 154
Graton, L. C., on chalcocite, 209; on gypsum, 525
Graupen ore deposits, 175
Graywacke, 733
Greenalite, 237
Greenstone, 700
Gregory, H. E., et al., review of book by, 569
Gregory, J. W., discussion by, 679; on the origin of Huelva ores, 430
Greisen, 174
Gresley, W. S., on clay seams, 180
Griffin, P. H., on bog ore, 533
Grimsley, G. P., review of report by, 70
Griswold and Munn, on terrace structures, 514
Grout, F. F., *Keweenawan copper deposits*, 471; on oxidation of pyrite, 28
Grove mine, 611
Growth factors, of plants, 628
Gypsum, 231, 489, 522, 524

Halotrichite, 457
Halymenites major, 747
Hancock, E. T., review of book by, 395
Harder, E. C., *Structure and origin of the magnetite deposits near Dillsburg, York County, Pennsylvania*, 599; review by, 278
Harker, A., review of book by, 73
Harpers schist, 612

Harris, G. D., on oil fields in Louisiana, 516
Hatcher, J. B., and Stanton, T. W., on Judith River beds, 662
Hauki complex, 701
Haworth and Bennett, on copper in "Red Beds," 226
Hayden, F. V., on the Livingston formation, 552
Hayes, C. W., discussion by, 61
Hayes and Kennedy, on oil fields in Texas, 516
Hematite, 409
Henderson, A., agricultural resources of Mattagami, 229
Henrietta diorite-porphyry, 325
Hess, F. L., review by, 394
High tides, 630
Hillebrand, W. F., analysis of water by, 26
Hixon, H. W., discussion by, 564
Hoering and Mjoen process, 56
Höfer, H., discussions by, 492, 564; on anticlinal theory of oil accumulation, 503
Högbom on magmatic origin of iron ores, 716
Holden, R. J., review by, 689
Hopkins, C. G., review of work by, 791
Horsebacks near Springfield, Illinois, clay seams or so-called (Savage), 178
Hot springs at Ojo Caliente and their deposits, The (Lindgren), 22
Huacalote rhyolite, 322
Hübnerite, 163
Hudson Bay depression, 231
Huelva, Spain, The pyritic deposits of (Finlayson), 357, 403
Hunt, T. S., on anticlinal theory of oil accumulation, 503, on bog iron ore, 535
Huronian, upper, 734

Iddings, J. P., review of book by, 73
Iddings and Weed, on the rocks of Park County, Mont., 159
Igneous contact deposits, Cananea, 347
Igneous metamorphism, of granite, 143
Igneous origin of iron ores, 717
Igneous rocks, 73; influence on ore shoots, 121; of Lapland, mode of eruption, 716
Igneous rocks and iron ores of Kiirunavaara, Luossavaara and Tuolluvaara (Geijer), 699
Inter-fingering, Livingston formation, 752
Intersecting fissures, influence on ore shoots, 110
Intrusive rocks, Nipissing district, 538
Intrusives, Cuyuna Range, 736; Dillsburg district, Pa., 614
Ireland and Sugden process, 56
Iron, 5
Iron deposits, Thunder Bay district, 528; Woman River area, 499
Iron deposits in the district of Thunder Bay, Ontario, The occurrence and origin of some bog (Moore), 528
Iron formation, Nastapoka Islands, 237; genetic relations, 241
Iron formation of the Cuyuna Range (Adams), 729
Iron ore deposits, chrome, Quebec, 278
Iron ores, Alabama, 197; Dillsburg, Pa., 599; Lapland, 699; Nova Scotia, 66; Quebec, 68; Sweden, 494; Utah, 188; West Virginia, 70
Iron ores of Kiirunavaara, Luossavaara and Tuolluvaara, Igneous rocks and (Geijer), 699
Iron resources of the world, 689
Irving, J. D., editorial by, 670; on ore shoots, 99
Irving, R. D., on ore deposits, 121
Isochore lines, 506

Jaggar, T. A., Jr., discussion by, 776
Jardine tungsten mine, 158
Jarosite, 457
Jauss mine, 609
Jenney, W. P., on ore deposits, 120
Johnson, R. H., discussion by, 63; review by, 571
Joint cracks, oil in, 518
Jones, C. H., on copper in Spanish pyrite, 420
Judith River fossils, 742
Julien, A. A., on bog iron ore, 529, 534

Kallerudose, 715
Kaolin, 209, 487
Kaolinite, 212, 679
Kaolinization, 478
Keewatin series, 230
Kemp, J. F., on copper deposits, 472; on enrichment of ore deposits, 128; editorial by, 765
Kemp and Newland, on a graphite mine, 136

Kendall tuff, 304, 305
Kentucky, The fluorspar, lead and zinc deposits of western (Fohs), 377
Kerr, H. L., Mattagami Valley, 229
Keweenawan, 732, 734
Keweenawan copper deposits (Grout), 471
Keweenawan outcrops, 473
Keyes, C. R., discussions by, 558, 683; on clay seams, 179
Kiirunavaara, Luossavaara, and Tuolluvaara, Igneous rocks and iron ores of (Geijer), 699
Kiirunavaara iron ore body, 709
King mine, 611
Kirk, C. T., on upper Paleozoic formations, 222
Kiruna district, Lapland, 699; formations of, 700
Kirunose, 715
Klockmann, F., on rocks of Spain, 363; on lodes of Huelva, Spain, 406; on origin of Huelva ores, 430
Knopf, A., *The copper-bearing amygdaloids of the White River region, Alaska,* 247; review by, 196
Knowlton, F. H., identification of plants by 557, 755, 761; on Judith River flora, 667; on Judith River beds, 666; remarks on fossil plants, 741, 748
Knox, H. H., on pyrites deposits, 410
Krusch, P., on Mt. Roudny mineralization, 262
Kurravaara conglomerate, 700

Lafayette formation, 377
Lake Superior basin, An Algonkian basin in Hudson Bay—a comparison with the (Leith), 227
Lake Superior copper ores, 121
Lake Superior region, pre-Cambrian conditions in, 245
Lance formation, 746
Lane, A. C., on clay seams, 180
Laney, F. B., on chalcocite, 210
Lapland, iron ores of, 699
Laramie, 552, 653, 661, 746; of Livingston section, 758
Lateral-secretion, 563
Latite, 303
Laumontite, 471
Laurentian series, 230
Lava flows, 238
Lead, 5
Lead and zinc deposits of western Kentucky, The fluorspar, (Fohs), 377
Lead deposits, Missouri, 71, 192
Lead Hill graphite mine, 145
Lead ores of Joplin district, 33
Lead sulphide, precipitation of, 2
Lead-zinc veins, in Great Britain, 719
Lebo andesitic member, 746, 753; correlation and age, 756
Le Chatelier, on inversion, 490
Ledge, 442
Leier mine, 269
Leith, C. K., *An Algonkian basin in Hudson Bay—a comparison with the Lake Superior basin,* 227; discussion by, 188; reviews by, 66, 67, 68, 197
Lennep formation plants, 748
Lennep sandstone, 747
Lewis, J. V., on the origin of New Jersey copper deposits, 254
Limestone, 733; influence on ore deposition, 116; silication of, 188
Limonite, 529, 530, 622
Lindemann, E., review of report by, 569
Lindgren, W., *Anhydrite as a gangue mineral,* 522; *The hot springs at Ojo Caliente and their deposits,* 22; review by, 494; on chalcopyrite, 9; on copper deposits, 255; on kaolin, 212; on the Livingston formation, 552; on minerals of ore deposits, 209; discussion by, 772
Lindgren, W., and Graton, L. C., on chalcocite, 210
Liparose, 715
Literature on economic geology, Recent (*see* Recent literature, etc.)
Lithium, 173
Livingston area, 762
Livingston flora, 749
Livingston formation, 653, 662
Livingston formation of Montana, Stratigraphic relations of the (Stone and Calvert), 551, 652, 741
Lloyd, S. J., analyses of water by, 532
Lockhart limestone, 378
Lodes, Huelva district, Spain, 404
Loew, O., analyses by, 25
Löfstrand, on magmatic origin of iron ores, 716
Logan mine, 611
Longnecker mine, 607
Loughlin, G. F., et al., *Recent literature on economic geology,* 81, 283, 575
Louis, H., discussion by, 390
Low, A. P., on James Bay and Labrador, 229; on Nastapoka group,

244, 245; on pre-Cambrian sediments, 232
Lundbohm, H., on the geology of the Kiruna district, 699
Lundbohm, H., and Bäckström, on rock analyses, 702

McClure mine, 611
McCormick mine, 603
McMillan, J. G., Explorations in Abitibi, 229
Magmatic segregation, influence on ore shoots, 101
Magmatic theory, of origin of iron ores, 717
Magnetic belts, 738
Magnetite, 544, 619, 620, 720
Magnetite deposits near Dillsburg, York County, Pennsylvania, Structure and origin of the (Harder), 599
Magnetite-syenite-porphyry, 708; section of, 708
Malachite, 223
Malfatti, H., on sulphides of iron, 9
Mallada, L., fossils described by, 361; on Devonian rocks in Spain, 361
Malpais basalt, 304, 307
Mammals, 755
Manganese, 5, 6
Manganese-silver veins, 18
Maps—Amity quadrangle, convergence map, 507; Cananea mining district, 312; Clinton sand, southern Ohio, 508; Cuyuna Iron Range, 730; Goldfield district, Nev., 438; James Bay region, 228; Magnetite deposits, Pa., 600; oil pools, Pa., 512 (*see also* Geologic maps)
Marcasite, 29, 211
Mariquita diabase, 322
Meda rhyolite, 304, 306
Melcher, A. C., on calcium sulphate, 526
Mercury, 5
Mesa-tuff, 323
Mesaverde formation, 758
Mesozoic, Dillsburg, Pa., 599
Metamorphism, 366; producing graphite, 143
Metasomatism, at Goldfield, 462; examples of, 726; in minerals, 719
Meteoritic source of ores, 561
Microphotographs, 364–367; of graphitic schist, 150; pyrite replacing phyllite, 415–416; ores of Rio Tinto, 417–418; galena replacing fluorspar, 724; of secondary chalcocite, 728; of secondary native silver, 727
Migration, downward, 478
Milling, at Mt. Roudny, 263
Milltown andesite, 304, 305
Mineral output, of Canada, 651
Mineral resources, New Brunswick, 67
Mineralogic criteria of enrichment, 209
Mineralogy, of Dillsburg ores, 618
Minerals, Cananea, 332; secondary, 726
Minerals, tungsten, from Montana, Notes on (Winchell), 158
Mines, in Dillsburg district, Pa., 602; in Rio Tinto district, Spain, 421
Mines Branch, Canada, 645, 648
Mining, at Cananea, history of, 315; at Goldfield, Nev., 438; of graphite, 137; of Zwitterstock, 171
Mira basalt, 304, 306
Mispickel, 159
Mississippian series, 378
Missouri lead districts, 685
Moanataeri mine, New Zealand, ore deposit of, 111
Molybdenite, 169
Mond gas-producer, 47
Montalto quartzite, 612
Montana, Notes on tungsten minerals from (Winchell), 158
Montana group, 653
Moore, E. J., *The occurrence and origin of some bog iron deposits in the district of Thunder Bay, Ontario*, 528
Morena rhyolite, 304, 305
Moses, A. J., and Parsons, C. L., review of book by, 69
Mt. Roudny gold deposit, The (Singewald), 257
Mügge, O., on quartz, 213
Munn, M. J., discussion of paper by, 492
Müntz and Lainé process, 57
Muscovite, 137

Nastapoka group, 232–245
Natural gas, anticlinal theory of accumulation, 492
Natural gas fields based on structure, A proposed classification of petroleum and (Clapp), 503
Necks, 98
Nests, 98
Nickel, 5
Nickel deposit, The Alexo (Coleman), 373

Nipissing district, Ontario, The quartz diabases of (Collins), 538
Nitrates from peat, 56
Nodules, origin of, 715
Noetling, F., on Irawaddy oil fields, 512
Notes on tungsten minerals from Montana (Winchell), 158

Occurrence and origin of some bog iron deposits in the district of Thunder Bay, Ontario (Moore), 528
Ogilvie, I. H., on Bear Pond Mountain schists, 142
Ohara limestone, 378
Ohio shale, 378
Oil and gas accumulation, 63
Oil maps, marking, 273
Ojo Caliente, The hot springs at, and their deposits (Lindgren), 22
Oklahoma, Copper in the "Red Beds" of (Tarr), 221
Ontario mine ore bodies, 108
Ore-bearing solutions, 102
Ore bodies, relations to topography, 207
Ore deposition, Cornwall, 720; Dillsburg, Pa., 616; Goldfield, Nev., 450
Ore deposits, alteration of, 124; geology of, 78; of magmatic origin, 101; of Cananea, 333; of Goldfield, Nev., 440; of Huelva, Spain, 403
Ore deposits of the Goldfield district, Nevada, Geology and (Ransome), 301, 438
Ore-porphyry, 708
Ore shoots, classification of, 99; definition of, 98; in limestone, 117; produced by gaseous emanations, 106; produced by ore-bearing solutions, 102; at Cripple Creek, Colo., 104, 112; at Goldfield, 448; at Kalgoorlie, 104
Ore shoots, Some causes of (Penrose), 97
Organic matter, influence on ore shoots, 119
Origin of, bog iron ore, 528; Cananea ore deposits, 333; clay seams, 178, 184; copper, Alaska, 253; in "Red Beds," 225; gold in the Rand banket, 567; iron formation, Nastapoka Islands, 241; iron ores, Alabama, 197; Dillsburg, Pa., 614; Lapland, 716; nodules, 715; ore shoots, 97; petroleum, 194, 564; salt marshes, 625 (*see also* Genesis)
Origin of certain Adirondack graphite deposits (Bastin), 134
Orton, E., on anticlinal theory of oil accumulation, 503; on clay seams, 180; on terrace structure, 514
Oversight ore shoot, 345
Overturned folds, 516
Oxidation, zone of, 207
Oxidation of sulphides (Buehler and Gottschalk), 28
Oxidized ores, of Goldfield, character of, 457
Ozark region, ore localization in, 683

Paleozoic rocks, Hudson Bay, 231
Palladium, 5
Palmer, C., on goldfieldite, 453
Paragenesis, 416; at Goldfield, 456
Paragenesis of British ores (Finlayson), 719
Parks, W. A., on Devonian corals, 231; on Nipissing-Algoma boundary, 227
Pay shoots, Goldfield, 448
Peat, amount in the United States, 39; distribution of, 39; use of, 40
Peat as a source of chemical products, Some commercial aspects of (Davis), 36
Pegmatite, 146
Pennsylvania series, 378
Penrose, R. A. F., Jr., *Some causes of ore shoots*, 97; on superficial alteration of ore deposits, 128
Petroleum, anticlinal theory of accumulation, 492; origin of, 194, 564
Petroleum and natural gas fields based on structure, A proposed classification of (Clapp), 503
Petroleum mining, 571
Petrology, Huelva district, Spain, 362; quartz diabases of Nipissing district, 539
Pharmacosiderite, 162
Philippi, E., review of work by, 793
Physical and commercial geography (Gregory et al.), Ransome, 569
Pinges, 168
Pipes, 98
Plans—Bell mine, Dillsburg, Pa., 609; Combination mine, Goldfield, Nev., 444; dacite mass, Goldfield, 302; January mine, 448; ledges at Goldfield, Nev., 441; Mohawk mine, 452; Sotiel lodes, 425; Underwood and Longnecker mines, Pa., 606
Plant growth, conditions of, 628
Pleochroism, of hübnerite, 165
Pockets, 98

Polybasite, 209
Porcellanite, 366
Porphyry, 363, 407, 706
Pottsville formation, 378
Pozo formation, 304
Pre-Cambrian, Canada, 230; Canonea, 317; Hudson Bay region, 238; Huelva, Spain, 360; Lake Superior region, 245
Precipitation, of bog iron, 535; of iron oxide, 499
Precipitation of sulphides, The fractional (Wells), 1
Price mine, 611
Producer-gas from peat, 41
Production of the Goldfield district, 440
Prosser, C. S., on upper Paleozoic formations, 222
Proustite, 211
Pseudolaumontite, 471
Pseudomorphous replacement, 214
Pseudomorphs, after olivine in ore, 374
Puertecitos limestone, 320; orebody, 336
Pumpelly, R., on ore deposits, 121
Purington, C. W., on ore deposits, 121
Pyrite, 18, 29, 524, 621, 722; oxidation of, 30; rate of, 32
Pyrites, in coal beds, 638
Pyritic deposits of Huelva, Spain, The (Finlayson), 357, 403
Pyroxene, 620
Pyroxene andesite tuff, 744
Pyrrhotite, 722
Pyrrhotite-serpentine rock, 375

Quaquaversal structure, 516
Quartz, 161, 213, 455, 486, 523, 548, 622, 723, 734; color of, 161; criteria for distinguishing, 153; forms of, 152
Quartz diabases of Nipissing district, Ontario, The (Collins), 538
Quartz vein, at Jardine, Mont., 161; figure of, 164
Quartz-biotite rock (figure), 160, 162
Quartz-porphyry, 365, 707
Quartzite, 734

Rabbit Spring formation, 304, 307
Ransome, F. L., *Criteria of downward sulphide enrichment*, 205; *Geology and ore deposits of the Goldfield district, Nevada*, 301, 438; discussion by, 491; reviews by, 71, 73, 281, 569, 792, 793; on enrichment of ore deposits, 130; on kaolinite, 213
Ransome and Calkins, on Cœur d'Alene ore deposits, 119
Recent literature on economic geology (Loughlin et al.), 81, 283, 575
"Red Beds" of Oklahoma, Copper in the (Tarr), 221
Red Lodge-Nye district, 660
Reid, J. A., on centering of rich ore, 412
Rektor ore, 713
Relations, Stratigraphic, of the Livingston formation of Montana (Stone and Calvert), 551, 652, 741
Replacement, at Dillsburg, Pa., 615; in igneous rocks, 121; in ore deposits, 416; of minerals, 214
Reptiles, 756
Research methods, 671
Reviews—
Annual report on the mineral production of Virginia during the calendar year 1908 (Watson) Ransome, 281
Elements of mineralogy, crystallography and blowpipe analysis from a practical standpoint (Moses and Parsons), Bayley, 69
From prospect to mine (Ritter), Hess, 394
Geologische Charakterbilder (Stille), Eisberge und Inlandeis in der Antarktis (Philippi), Ransome, 793
Geology and mineral resources of New Brunswick (Ells), Leith, 67
Geology of ore deposits (Thomas), Bastin, 78
Geology of the disseminated lead deposits of St. Francois and Washington Counties (Buckley), Ransome, 71
Igneous rocks: composition, texture and classification (Iddings), Ransome, 73
Iron formation of Woman River area (Allen), Steidtmann, 49
Iron ore deposits of Vancouver and Texada Islands, British Columbia (Lindemann), Steidtmann, 569
Iron ore resources of the world, Holden, 689
Iron ores, fuels, and fluxes of the Birmingham district, Alabama

(Burchard and Butts), Leith, 197
Iron ores, salt and sandstones (Grimsley), Steidtmann, 70
Metallurgy of the common metals—gold, silver, iron, copper, lead and zinc (Austin), Campbell, 79
Natural history of igneous rocks (Harker), Ransome, 73
Notes accompanying lectures on geology applied to mining (Hancock), Bayley, 395
Occurrence and origin of the brown iron ores of Spring Valley, Wisconsin (Allen), Steidtmann, 394
Outlines of geologic history with especial reference to North America (Willis and Salisbury), Ransome, 792
Paleozoic coalfields of Holland (Van Waterschoot van der Gracht), White, 391
Petroleum mining and oil-field development (Thompson), Johnson, 571
Question of the origin of the iron ores in the older pre-Cambrian series of Sweden (Sjögren), Lindgren, 494
Report on the chrome iron ore deposits in the eastern townships, Province of Quebec (Cirkel), Harder, 278
Report on the iron ore deposits along the Ottawa (Quebec side) and Gatineau Rivers (Cirkel), Leith, 68
Report on the iron ore deposits of Nova Scotia (Woodman), Leith, 66
Soil fertility and permanent agriculture (Hopkins), Willard, 791
Tables for the determination of minerals by physical properties (Frazer and Brown), Bayley, 570
Through the Yukon and Alaska (Rickard), Knopf, 196
Zur Kenntniss der wasserhaltigen und wasserfreien Eisenoxydbildungen in den Sedimentgestein (Stremme), Trueman, 499
Rhodochrosite, 18
Rhodonite, 18
Rhyolite, 305, 322
Rhyolite-porphyry, 364
Richmond group, 232–245
Rickard, T. A., review of book by, 196; on enrichment of ore deposits, 128; on ore deposits, 120; on the Bendigo reefs, 109
Ritter, E. A., review of book by, 394
Rogers and Genth, on ore deposits, 123
Römer, F., on origin of Huelva ores, 430
Rosiclare sandstone, 378
Rough Creek uplift, 380

Sadisdorf ore deposits, 169
Ste. Genevieve limestone, 378
St. Louis limestone, 378
Sales, R. H., *Superficial alteration of the Butte veins*, 15; discussion by, 681
Salines, 516
Salt, West Virginia, 70
Salt marsh formation near Boston and its geological significance (Davis), 623
Salt marshes described, 624
Salt thatch, 631
Sandberger, on lateral-secretion, 563
Sandstones, West Virginia, 70
Sandstorm rhyolite, 304, 305
San Pedro andesite, 323
Santa Fe marl, 22
Santa Rosa mine, 428
Sauberg, view of, 268
Sauberg tin deposits, 270
Savage, T. E., *Clay seams or so-called horsebacks near Springfield, Illinois*, 178
Scapolite, 147
Schaller, W. T., analysis of anhydrite, 524; on barite, 24
Scheelite, 158, 161, 162, 721
Schlieren, 706
Schmidt and Preiseverk, on Cala ore deposits, 414
Schmitz, E. J., on copper, 221; on ore deposits, 120
Schofield, S. J., *Recent literature on economic geology*, 81
Schürmann, E., on precipitation of sulphides, 5–9
Scientific notes and news, 90, 200, 292, 396, 586, 694
Scottish Chief tungsten mine, 163
Sealed faults, oil in, 517
Secondary enrichment, 13, 416; at Cananea, 354
Secondary minerals, 726
Sections—Alexo mine, 373; Bell mine,

Dillsburg, Pa., 609; coal seam, Springfield, Ill., 182; Combination ledge, 445; gas pool in arkose, 518; Goldfield district, 301, 308; Jauss mine, Dillsburg, Pa., 610; Lebo andesitic member, 753, 754; Livingston formation, interfingering, 752; Luossavaara, Lapland, 701; Mohawk ledge, 443; Mt. Roudny ore body, 258, 261; Nastapoka Islands, 234; oil pool, sealed in by fault line, 518; pyrrhotite-serpentine, 374; Rio Tinto lodes, 423; saline, 517; salt marshes, 626; Santa Rosa lode, El Tinto, 428, 429 (*see also* Geologic sections)
Sedimentary origin, criteria of, 140
Sedimentation, pre-Cambrian, in Hudson Bay, 238
Selective precipitation, 4
Sericite, 621
Serpentine, 374
Shaler, N. S., on origin of salt marshes, 625
Shearing, in porphyry, 367
Shoots, ore, Some causes of (Penrose), 97
Siderite, 524
Siebert formation, 304, 306
Silberling, fossils collected by, 755
Silication of limestones, 188
Siliceous rocks, influence on ore shoots, 119
Sills, Huelva, Spain, 368; western Kentucky, 379
Silurian, Huelva, Spain, 360
Silver, 5, 17; native, 726; ores of, 17
Simpson, J. F., on copper minerals, 13; on copper ores of Butte, 420
Singewald, J. T., Jr., *The Erzgebirge tin deposits*, 166, 265; *The Mt. Roudny gold deposit*, 257
Sjögren, H., review of paper by, 494; on ore deposits, 413
Slate, 732
Slate or phyllite, replaced by pyrite, 415
Smyser mine, 608
Smythe, on derivation of Keweenawan copper, 472
Soil fertility, 791
Solly, R. H., on anglesite of Santo Domingo, 411
Solutions, ore-bearing, 616
Some causes of ore shoots (Penrose), 97
Some commercial aspects of peat as a source of chemical products (Davis), 36
Sonora, Mexico, Cananea mining district of (Emmons), 312
Sotiel mine, 424
Source, of bog iron, 532
South Mountain, structure of, 612
Spain, The pyritic deposits of Huelva (Finlayson), 357, 403
Spartina glabra, var. alterniflora, 631
Spartina patens, 632
Spearhead rhyolite, 304, 307
Special problems and their study in economic geology, 670, 772
Specularite, 707
Spencer, A. C., on magnetite deposits in Pennsylvania, 603
Sphalerite, 18, 29; oxidation of, 30
Sphinx conglomerate, 762
Spilsbury, E. G., discussion by, 780
Spring, W., on iron hydroxide, 537
Springfield, Illinois, Clay seams or so-called horsebacks near (Savage), 178
Springs, The hot, at Ojo Caliente and their deposits (Lindgren), 22
Spurr, J. E., on ore deposits, 102; on ores of Goldfield, 457
Stanton, T. W., fossils identified by, 652, 659; remarks on fossils, 741, 742; on Ceratops beds, 748
Statistical report on minerals in Canada, 642
Steidtman, E., reviews by, 70, 394, 499, 569
Steiger, G., analyses by, 24, 139, 148, 309
Stephanite, 209
Stevenson, J. J., discussion by, 781
Stille, H., review of work by, 793
Stokes, H. N., on action of pyrite and marcasite, 1, 8
Stone, R. W., and Calvert, W. R., *Stratigraphic relations of the Livingston formation of Montana*, 551, 652, 741
Stratigraphic relations of the Livingston formation of Montana (Stone and Calvert), 551, 652, 741
Stratigraphy, fluorspar region of Kentucky, 377
Stremme, H., review of paper by, 499
Structural theory, of oil accumulation, 505
Structure, fluorspar region, western Kentucky, 379; Goldfield district, Nev., 310; Huelva district, Spain, 369
Structure and origin of the magnetite deposits near Dillsburg, York

County, Pennsylvania (Harder), 599
Stutzer, on apatitic iron ore, 710; on magmatic origin of iron ores, 716
Subsidence, coastal, 634, 637; at Nahant, 636
Sulphide enrichment, 477, 558; criteria of, 678, 681; chemical, 215; mineralogic, 209; textural, 217; geologic evidence of, 206; at Huelva, Spain, 410
Sulphide enrichment, downward, Criteria of (Ransome), 205
Sulphide ores, 1; development of, 6; of Butte, Mont., 19; of Goldfield, Nev., 453
Sulphides, influence on ore shoots, 120; order of solubility, 6
Sulphides, Oxidation of (Buehler and Gottschalk), 28
Sulphides, The fractional precipitation of (Wells), 1
Superficial alteration, of ore deposits, 125
Superficial alteration of the Butte veins (Sales), 15
Surface waters, effect on ore deposits, 125
Syenite, 324, 704
Syenite-porphyry, 704; section, 706
Syenite rocks, Lapland, 702
Symbols, for oil maps, 274
Synclines, 684

Tables of precipitation of sulphides, 3–12
Taconite, 237
Tanning materials from peat, 57
Tar, from peat, 43
Tarr, W. A., *Copper in the "Red Beds" of Oklahoma*, 221
Teplitz quartz porphyry, 168
Terrace structures, 514
Tertiary eruptions, Goldfield district, 304
Tertiary formations, Goldfield, Nev., 307
Tertiary lavas, White River region, Alaska, 247
Textural criteria of enrichment, 217
Thallium, 6
Thermal springs, 22
Thomas, H. H., review of book by, 78
Thompson, A. B., review of work by, 571
Thunder Bay, Ontario, The occurrence and origin of some bog iron deposits in the district of (Moore), 528
Tides, classification of, 630
Tin, 5
Tin deposits, Geyer, 267
Tin deposits, The Erzgebirge (Singewald), 166, 265
Tin-tungsten veins, in Great Britain, 720
Tinaja granite-porphyry, 327
Titanite, 704
Tomstown limestone, 612
Topography, Butte copper area, 18; Cananea mining district, 312; Cuyuna district, Minn., 730; Erzgebirge, 166; fluorspar region of Kentucky, 377; Goldfield district, Nev., 301; Huelva, Spain, 359; Oklahoma, Payne Co., 221; relation to ore bodies, 207
Tourmaline, 523, 720
Trachyte-porphyry, 365
Tribune limestone, 378
Trueman, J. D., review by, 499
Tuff, 323, 668, 757
Tuffaceous conglomerate, 757
Tuffaceous sandstone, 747
Tullahoma formation, 378
Tungsten minerals from Montana, Notes on (Winchell), 158
Tungstite, 162
Turf, 633
Turner, N. L., analysis, of limonite, 530; of iron concretion, 532
Twetzig, B., on the origin of Huelva ores, 430
Twinning in quartz, 154

Underwood mine, 605
Unios, 750

Van Hise, C. R., on deposition of ores, 99; on derivation of Keweenawan copper, 472; on enrichment of ore deposits, 128; on iron ore deposits of Lake Superior region, 109, 119; on zeolitization, 253
Van Hise and Leith, on Lake Superior iron ores, 237
Van t'Hoff, on anhydrite, 525
Van Vleet, A. H., on copper in "Red Beds," 226
Van Waterschoot van der Gracht, W. A. J. M., review of report by, 391
Veins, Butte district, 17; at Ojo Caliente, 23; Erzgebirge tin deposits, 173, 269; carrying tungsten ore, 159; in Great Britain, 719

Veins, Butte, Superficial alteration of (Sales), 15
Vegetation, of salt marshes, 624
Veta Grande shoot, 346
Vichy springs, 27
Villarello, J. D., on ore deposits, 462
Vindicator rhyolite, 303, 304
Vogt, J. H. L., on Huelva ores, 409, 430; on ores in Norway, 255; on magmatic origin of ore deposits, 101; on rocks of Spain, 363
Von Cotta, B., on ore deposits, 120, 123
Vulcanism, in ore deposition, 564

Walcott, C. D., on graphite mine, 136
Wall rock, influence on ore shoots, 113
Wassuchnow, on dissociation pressures of cupric sulphide, 485
Water, analysis of, 26; effect on ore deposits, 125
Watson, T. L., review of report by, 281
Weed, W. H., on chalcocite, 210; on enrichment of ore deposits, 128, 208; on influence of country rock on ore deposits, 119; on origin of New Jersey copper deposits, 254; on Fort Union formation, 664; on the Laramie, 663; on Little Belt Mountains folio, 661; on the Livingston formation, 552, 652
Weigel, on solubilities of sulphides, 7
Wells, R. C., *The fractional precipitation of sulphides*, 1; discussion by, 479; on fractionation, 483; on hydrolysis of ferric sulphate, 480
Western Kentucky, The fluorspar, lead and zinc deposits of (Fohs), 377
Wetzig, on depth of enrichment, 411
White, A. P., on inversion, 490
White, D., review by, 391
White, I. C., on anticlinal theory of oil accumulation, 503; on Eureka-Volcano Burning Springs anticline, 511; on oil near Grahamite, 518
White River region, Alaska, The copper-bearing amygdaloids of the (Knopf), 247
Willard, J. T., review by, 791
Willis, B., and Salisbury, R. D., review of work by, 792
Wilson, A. W. G., *The Department of Mines of Canada, its organization and its work*, 640; on Laurentian peneplain, 230
Winchell, A. N., *Notes on tungsten minerals from Montana*, 158; discussion by, 488; on oxidation of pyrite, 28
Winchell, H. V., on ore shoots, 100
Wittstein, on iron hydrate, 537
Wolfram, 721
Wolframite, 158, 169–173
Woltereck process, 52
Woodman, J. E., review of paper by, 66
Wreford limestone, 222
Wright and Larsen, on quartz as a geologic thermometer, 134, 152, 486

Yellowstone formation, 661

Zeolites, formation of, 253
Zeolitization, 253
Ziegler system for utilization of peat, 41, 50
Zinc, 5
Zinc deposits of western Kentucky, The fluorspar, lead and (Fohs), 377
Zinc ores of Joplin district, 33
Zinnwald ore deposits, 172
Zone, of fracture, 565; of enriched sulphides at Huelva, Spain, 410; of oxidation, 207; at Butte, Mont., 19; of solid flowage, 565
Zostera marina, 625
Zuber, R., discussion by, 194
Zwitter, 169
Zwitterstock, method of mining, 171